



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

PLUGTAIL™ WIRING DEVICES

P&S PlugTail™ Wiring Devices



- HEALTHCARE
- EDUCATION & INSTITUTION
- RETAIL, OFFICE & ENTERTAINMENT
- HOSPITALITY & MULTIPLE DWELLING

Twist, click, screw, DONE.

PASS & SEYMOUR PLUG TAIL DEVICES

HOSPITAL GRADE RECEPTACLES

P&S No.	Description	Std. Pkg.	Price/Each
PT8300*	20A, 125V, NEMA 5-20R duplex receptacle.	10	\$6.84
PT2095HG*	20A, 125V, NEMA 5-20R GFCI receptacle	10	25.44

SPECIFICATION GRADE RECEPTACLES

P&S No.	Description	Std. Pkg.	Price/Each
PT5362*	20A, 125V, NEMA 5-20R duplex receptacle.	10	\$3.98
PT2095*	20A, 125V, NEMA 5-20R GFCI receptacle	10	18.29

*Add suffix for color: I = Ivory, LA = Light Almond, W = White, RED = Red, GRY = Gray.

PLUG TAIL RIGHT ANGLE CONNECTORS

P&S No.	Description	Std. Pkg.	Price/Each
PTRA6STR	6" stranded, THHN 12.	10	\$1.35
PTRA6SOL	6" solid, THHN 12.	10	1.19

P&S PlugTail is proven to be the fastest, most reliable wiring device installation for any commercial job.

At rough-in, install the pre-stripped leads of a P&S PlugTail connector instead of pigtailed.

At device installation, click in the connector and tighten the mounting screws — done in less than a minute.

PlugTail devices are available in multiple configurations including: Standard & Decorator Style Receptacles, Tamper Resistant Receptacles, and LED Nightlight Combination Receptacles.

TOGGLE SWITCHES



SHAW SUPPLY COMPANY


1066 East 16th Street

816-221-0060

www.shawsupply.com

INDUSTRIAL AC SWITCHES

SPECIFICATION GRADE—BACK & SIDE WIRED



P&S No.	BRW No.	Description	Standard Package	Price/ Each
20 AMP—120/277V				
PS20AC1	4901	S.P., Brown.	10	\$3.66
PS20AC1-BK	4901-BLK	S.P., Black.	10	3.63
PS20AC1-GRY	4901-GRY	S.P., Gray.	10	3.66
PS20AC1-I	4901-I	S.P., Ivory.	10	3.66
PS20AC1-L	4901-L	S.P., Lock.	10	22.10
PS20AC1-RED	4901-RED	S.P., Red.	10	3.66
PS20AC1-W	4901-W	S.P., White.	10	3.66
PS20AC2	4902	D.P., Brown.	10	12.72
PS20AC2-I	4902-I	D.P., Ivory.	10	12.72
PS20AC3	4903	3-W, Brown.	10	5.57
PS20AC3-BK	4903-BLK	3-W, Black.	10	5.57
PS20AC3-GRY	4903-GRY	3-W, Gray.	10	5.57
PS20AC3-I	4903-I	3-W, Ivory.	10	5.57
PS20AC3-L	4903-L	3-W, Lock.	10	24.08
PS20AC3-RED	4903-R	3-W, Red.	10	5.57
PS20AC3-W	4903-W	3-W, White.	10	5.57
500K	6006	Key	10	1.97
30 AMP—120/277V				
PS30AC2	3002	D.P., Brown.	10	24.17

COMMERCIAL AC SWITCHES


SPECIFICATION GRADE—BACK WIRED

P&S No.	BRW No.	Description	Std. Pkg.	Price/ Each
15 AMP—120/277V				
CS15AC1	CS115B	S.P., Brown.	10	\$2.09
CS15AC1-GRY	CS115BGRY	S.P., Gray.	10	2.09
CS15AC1-I	CS115BI	S.P., Ivory.	10	2.09
CS15AC1-LA	--	S.P., Lt. Almond.	10	2.09
CS15AC1-W	CS115BW	S.P., White.	10	2.09
CS15AC3	CS315B	3-W, Brown.	10	2.92
CS15AC3-GRY	CS315BGRY	3-W, Gray.	10	2.92
CS15AC3-I	CS315BI	3-W, Ivory.	10	2.92
CS15AC3-LA	--	3-W, Lt. Almond.	10	2.92
CS15AC3-W	CS315BW	3-W, White.	10	2.92
20 AMP—120/277V				
CS20AC1	CS120B	S.P., Brown.	10	2.67
CS20AC1-GRY	CS120BGRY	S.P., Gray.	10	2.67
CS20AC1-I	CS120BI	S.P., Ivory.	10	2.67
CS20AC1-LA	--	S.P., Lt. Almond.	10	2.67
CS20AC1-W	CS120BW	S.P., White.	10	2.67
CS20AC3	CS320B	3-W, Brown	10	3.84
CS20AC3-GRY	CS320BGRY	3-W, Gray.	10	3.84
CS20AC3-I	CS320BI	3-W, Ivory.	10	3.84
CS20AC3-LA	--	3-W, Lt. Almond.	10	3.84
CS20AC3-W	CS320BW	3-W, White.	10	3.84
CSB20AC4	--	4-W, Brown.	10	12.68
CSB20AC4-GRY*	--	4-W, Gray.	10	12.09
CSB20AC4-I*	--	4-W, Ivory.	10	12.09
CSB20AC4-LA*	--	4-W, Lt. Almond.	10	12.09
CSB20AC4-W*	--	4-W, White.	10	12.09


* Back and side wired.

MANUAL MOTOR STARTING SWITCHES

600VAC—WITHOUT OVERLOAD PROTECTION



30103



30003

Tech-Spec quality and performance. Ideal for On/Off control of pumps, fans, conveyors and machine tools.

BRW No.	Description	H.P. Rating	Price/ Each
30003	3-pole, 30A 600V, open.	3 HP 120V, 7-1/2 HP 240V,	\$57.82
30103	Same as above with NEMA 1 enclosure.	15 HP 480V, 20 HP 600V.	75.14
40003	3-pole, 40A 600V, open.	Same as above.	75.97

MAINTAINED AND MOMENTARY TECH-SPEC AC SWITCHES

BACK & SIDE WIRED




15 AMP—120/277V

BRW No.	Description	Standard Package	Price/ Each
4822-I	Maintained, S.P.D.T., center off, Ivory.	10	\$38.97
4825-I	Maintained, D.P.D.T., center off, Ivory.	10	39.33
4821-I	Momentary, S.P.D.T., center off, Ivory.	10	16.99

SPECIFICATION GRADE AC TOGGLE SWITCH

PILOT LIGHTED



Lights in "On" position.


P&S No.	Description	Standard Package	Price/ Each
PS20AC1-RPL	S.P. Red toggle, 20A 120/277VAC.	10	\$26.24
PS20AC3-RPL	Same as above except 3-way.	10	50.65



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

TOGGLE & COMBINATION SWITCHES


RESIDENTIAL AC SWITCHES GROUNDING TOGGLE SWITCHES—15 AMP—120V



Side wire #12 & 14 AWG. Speed wire #14 AWG.

P&S No.	Description	Standard Package	Price/Each
660-G	S.P., Brown.	10	\$.78
660-BKG	S.P., Black.	10	1.35
660-IG	S.P., Ivory.	10	.78
660-LAG	S.P., Light almond.	10	.78
660-WG	S.P., White.	10	.78
663-G	3-W, Brown.	10	1.18
663-BKG	3-W, Black.	10	2.82
663-IG	3-W, Ivory.	10	1.44
663-LAG	3-W, Light almond.	10	1.44
663-WG	3-W, White.	10	1.44
664-BKG	4-W, Black.	10	16.59
664-IG	4-W, Ivory.	10	8.67
664-LAG	4-W, Light almond.	10	8.67
664-WG	4-W, White.	10	8.67


AC SWITCHES TRADEMASTER GROUNDING DECORATOR SWITCHES—15 AMP—120/277V




Designer style satin finish rocker. Back and side wired; accepts #12 and #14 AWG. Speed wire #14 AWG.

P&S No.	Description	Standard Package	Price/Each
TM870-BK	S.P., Black.	10	\$5.82
TM870-I	S.P., Ivory.	10	1.91
TM870-LA	S.P., Light almond.	10	1.91
TM870-W	S.P., White.	10	1.91
TM873-BK	3-W, Black.	10	8.68
TM873-I	3-W, Ivory.	10	2.46
TM873-LA	3-W, Light almond.	10	2.46
TM873-W	3-W, White.	10	2.46
TM874-BK	4-W, Black.	10	22.33
TM874-I	4-W, Ivory.	10	22.33
TM874-LA	4-W, Light almond.	10	22.33
TM874-W	4-W, White.	10	22.33


COMBINATION SWITCHES AND DEVICES GENERAL USE—SWITCH RATING 15A, 120/277VAC



690



691



696

P&S No.	Description	Color	Std. Pkg.	Price/Each
690-IG	S.P. Switch & S.P. Switch.	Ivory	10	\$10.02
690-LAG	S.P. Switch & S.P. Switch.	Lt. Almond	10	10.02
690-WG	S.P. Switch & S.P. Switch.	White	10	10.02
691-I	Combo 1-P sw. & 15A Recep.	Ivory	10	8.90
691-LA	Combo 1-P sw. & 15A Recep.	Lt. Almond	10	8.90
691-W	Combo 1-P sw. & 15A Recep.	White	10	8.90
696-IG	Combo 1-P & 3-way Switch.	Ivory	10	13.28
696-LAG	Combo 1-P & 3-way Switch.	Lt. Almond	10	13.28
696-WG	Combo 1-P & 3-way Switch.	White	10	13.28


MOTION SWITCHES PASSIVE INFRARED OCCUPANCY SENSORS



Compact decorator design replaces existing wall switch. Compatible with all electronic and magnetic ballasts. 180 degree coverage of up to 900 square feet. 120/277v operation – adjustable sensitivity from 20% to 100%. 800 watts max. @ 120v – 1200 watts max. @ 277v.

P&S No.	Description	Time Delay	Std. Pkg.	Price/Each
WSP200-I	Ivory.	30 sec. – 30 min.	1	\$61.78
WSP200-LA	Light almond.	30 sec. – 30 min.	1	61.78
WSP200-W	White.	30 sec. – 30 min.	1	61.78

TRADEMASTER DECORATOR AC COMBINATION DEVICES



Impact resistant face and body. Clear identification of circuits. Snap-in light module available (sold separately).


P&S No.	Description	Std. Pkg.	Price/Each
TM811-LACC	2 S.P. switches, 15A, 120/277V, Light almond.	1	\$16.20
TM811-ICC	2 S.P. switches, 15A, 120/277V, Ivory.	1	16.20
TM811-WCC	2 S.P. switches, 15A, 120/277V, White.	1	16.20
TM813-LACC	S.P & 3-W, 15A, 120/277V, Light almond.	1	24.44
TM813-ICC	S.P & 3-W, 15A, 120/277V, Ivory.	1	24.44
TM813-WCC	S.P & 3-W, 15A, 120/277V, White.	1	24.44
TM818-LACC	1-pole sw & single 5-15 recept., Light almond.	1	17.38
TM818-ICC	1-pole sw & single 5-15 recept., Ivory.	1	17.38
TM818-WCC	1-pole sw & single 5-15 recept., White.	1	17.38
TM8-LMCC	1/4 watt LED clear light module.	1	5.10

TOGGLE SWITCHES, MISC. SWITCHES



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

McGILL TOGGLE SWITCHES




MGL No.	Description	Standard Package	Price/ Each
20A 125V, 10A 250V—SCREW TERMINAL—SINGLE POLE			
90-0001	SPST, On-Off.	25	\$4.85
91-0001	SPDT, 3 position maintained, center off.	25	5.62
92-0001	SPDT, On-Off.	25	5.62
93-0001	SPDT, 3 position momentary, center off.	10	8.83
15A 277V—SCREW TERMINAL—DOUBLE POLE			
0121-0001	DPST, On-Off.	25	7.81
0121-0002	DPDT, 3 position maintained, center off.	25	9.52
0121-0003	DPDT, On-Off.	25	9.52

McGILL REPLACEMENT SWITCHES BLISTER PACK

MGL No.	Description	Std. Pkg.	Price/ Each
BP1	S.P., single circuit, 6A, small lever canopy switch, wire leads.	10	\$14.23
BP2	Single circuit, 15A, momentary contact push-button switch, screw terminals.	10	7.71
BP4	S.P.D.T., center off, 20A, toggle switch, screw terminals.	10	7.03
BP6	S.P., single circuit, 6A, lever canopy switch, screw terminals.	10	11.65
BP11	Single circuit, maintained contact, 8A, push-button switch, wire leads.	10	11.89
BP12	S.P.S.T., 8A, toggle switch, screw terminals.	10	9.46
0140-4020	4-pole, D.T., On-Off, 17A, toggle switch, screw terminals.	10	19.99
BP22	4-pole, D.T., On-Off-On, 17A, toggle switch, screw terminals.	10	28.95
BP24	D.P.D.T., 15A, toggle switch, On-On switch, screw terminals.	10	10.50
BP25	D.P.D.T., center off, 15A, toggle switch, screw terminals.	10	10.50


McGILL LEVOLIER SWITCH



Features all-angle lever action. 6A 125V, 3A 250V. Single pole, single circuit.

MGL No.	Description	Standard Package	Price/ Each
41	For conduit box and canopy mounting and for FHP motor control.	25	\$10.75
87	Reducing knockout washer.	100	1.19

DOOR LIGHT SWITCH



All purpose electric door switch. Supplied with plate and mounting box.

EDW No.	Description	Contact Rating	Std. Pkg.	Price/ Each
502A	Depress plunger to open circuit.	125VAC, 6A	10	\$13.51
503A	Depress plunger to close circuit.	250VAC, 3A	10	15.02


**We Offer A Complete
Line Of Wiring Devices.**

**Call Us For Any
Inquiries On These
Or Any Other Related
Products.**



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RECEPTACLES




HOSPITAL GRADE STRAIGHT BLADE RECEPTACLES
 20 AMP—125V—BACK & SIDE WIRED



NEMA 5-20

Heavy-duty, meets UL tests for hospitals. Auto ground clip assures positive ground. Impact chemical resistant nylon face.

P&S No.	BRW No.	Description	Std. Pkg.	Price/Each
8300-HGRY	8300-GRY	Duplex, Gray.	10	\$5.57
8300-HI	8300-I	Duplex, Ivory.	10	5.57
8300-HRED	8300-RED	Duplex, Red.	10	5.49
8300-HW	8300-W	Duplex, White.	10	5.57



HOSPITAL GRADE TAMPER RESISTANT STRAIGHT BLADE RECEPTACLES
 20 AMP—125V—BACK & SIDE WIRED




NEMA 5-20

Dual shutter mechanism prevents insertion of foreign objects. Designed to protect children from shock in nurseries, play areas, etc.

P&S No.	Description	Std. Pkg.	Price/Each
TR63-HGRY	Duplex recept., Gray.	10	\$27.52
TR63-HI	Duplex recept., Ivory.	10	27.52
TR63-HRED	Duplex recept., Red.	10	27.52
TR63-HW	Duplex recept., White.	10	27.52


INDUSTRIAL GRADE STRAIGHT BLADE RECEPTACLES
 20 AMP—125V—BACK & SIDE WIRED



NEMA 5-20

P&S No.	BRW No.	Description	Std. Pkg.	Price/Each
5362	5362	Duplex, Brown.	10	\$6.04
5362-I	5362-I	Duplex, Ivory.	10	6.04
5362-W	5362-W	Duplex, White.	10	6.04

TRADEMASTER DECORATOR TAMPER-RESISTANT DEVICES




TM8HWLTR

Meets UL498 – prevents insertion of foreign objects. Specifically designed for increased protection of children.

P&S No.	Description	Std. Pkg.	Price/Each
TM8HWLTR-LACC	Hallway light with tamper-resistant single recept., Light almond.	1	\$23.80
TM8HWLTR-WCC	Hallway light with tamper-resistant single recept., White.	1	23.80

DECORATOR HALLWAY LIGHT & SINGLE RECEPTACLE



P&S No.	Description	Std. Pkg.	Price/Each
TM8HWL-LACC	5-15R recept., Light almond.	1	\$14.07
TM8HWL-WCC	5-15R recept., White.	1	14.07

RECEPTACLES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

COMMERCIAL GRADE STRAIGHT BLADE RECEPTACLES

15 & 20 AMP—125V—SIDE WIRED—SELF GROUNDING TAP




CR20B




NEMA 5-20

P&S No.	BRW No.	Description	Std. Pkg.	Price/ Each
CR15B	CRS15	Duplex, Brown.	10	\$1.42
CR15BGRY	CRS15GRY	Duplex, Gray.	10	1.42
CR15BLA	CRS15LA	Duplex, Lt. Almond.	10	1.42
CR15BI	CRS15I	Duplex, Ivory.	10	1.42
CR15BW	CRS15W	Duplex, White.	10	1.42
CR20B	CRS20	Duplex, Brown.	10	1.53
CR20BLK	CRS20BLK	Duplex, Black.	10	1.53
CR20BGRY	CRS20GRY	Duplex, Gray.	10	1.53
CR20BLA	CRS20LA	Duplex, Lt. Almond.	10	1.53
CR20BI	CRS20I	Duplex, Ivory.	10	1.53
CR20BW	CRS20W	Duplex, White.	10	1.53

TVSS STRAIGHT BLADE RECEPTACLES MEETS UL 1449 LATEST REVISION FOR TVSS DEVICES



5362



8300-ISP

HOSPITAL GRADE DEVICES*

Audible alarm, able to be turned on/off. LED indicator light. 210 joules of energy absorption in each of the 3 modules. 13,000 amps current handling capability in the 3 modes.

COMMERCIAL GRADE DEVICES

LED indicator light. 130 joules of energy absorption in each of the 3 modes. 9000 amps current handling capability in the 3 modes.

P&S No.	Description	Std. Pkg.	Price/ Each
IG8300-OSP*	Hospital grade, isolated ground, 20A, NEMA 5-20, Orange.	10	\$54.40
IG8300-WSP*	Same as above, except White.	10	54.40
8300-ISP*	Hospital grade, 20A, NEMA 5-20, Ivory.	10	48.36
8300-WSP*	Same as above, except White.	10	48.36
5362-ISP	Commercial grade, 20A, NEMA 5-20, Ivory.	10	45.59
5362-WSP	Same as above, except White	10	45.59
5362-LASP	Same as above, except Light almond.	10	45.59

* FACTORY STOCK.

RESIDENTIAL GRADE STRAIGHT BLADE RECEPTACLES

15AMP—120V




NEMA 5-15

Combination head screws, extra long strap. Side wire accepts #12-14 AWG solid. Speed wire accepts #14 AWG solid only.

P&S No.	Description	Standard Package	Price/ Each
3232-BK	Duplex, Black.	10	\$.97
3232-I	Duplex, Ivory.	10	.55
3232-LA	Duplex, Light almond.	10	.55
3232-W	Duplex, White.	10	.55

RESIDENTIAL GRADE STRAIGHT BLADE RECEPTACLES

15AMP TRADEMASTER—120V



NEMA 5-15

Combination head screws, extra long strap. Side wire accepts #12-14 AWG solid. Speed wire accepts #14 AWG solid only.

P&S No.	Description	Standard Package	Price/ Each
885-BK	Duplex, Black.	10	\$3.82
885-I	Duplex, Ivory.	10	1.42
885-LA	Duplex, Light almond.	10	1.42
885-W	Duplex, White.	10	1.42

TAMPER RESISTANT

P&S No.	Description	Standard Package	Price/ Each
885TR-LA	15A, 120V, duplex, Lt. Almond.	10	2.62
885TR-W	15A, 120V, duplex, White.	10	2.62

FLOOR BOX ASSEMBLY

2-POLE, 3-WIRE GROUNDING—15A, 125V




P&S No.	Description	Standard Package	Price
1542-FBA	Receptacle, brass plate, plug, gasket, O-ring, and metal 18 cu. inch box.	1	\$19.95



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RECEPTACLES

GROUND FAULT CIRCUIT INTERRUPTER DUPLEX RECEPTACLES




2094

Meets 2006 UL requirements. Safelock™ Protection. Prevents line-load reversal miswire. Exceeds UL943 voltage surge requirements. Trip indicator light (red lamp). Side or internal screw-pressure-plate back wire with #10 - #14 AWG solid or stranded copper wire.

P&S No.	Description	Std. Pkg.	Price/ Each
TRADEMASTER GFCI			
1595	15A, NEMA 5-15R, Brown.	1	\$14.18
1595-BK	15A, NEMA 5-15R, Black.	1	17.73
1595-GRY	15A, NEMA 5-15R, Gray.	1	14.18
1595-I	15A, NEMA 5-15R, Ivory.	1	14.18
1595-LA	15A, NEMA 5-15R, Light almond.	1	14.18
1595-W	15A, NEMA 5-15R, White.	1	14.18
2084-LA	20A, Dead Front, Light almond.	1	17.49
2084-W	20A, Dead Front, White.	1	17.49
2095	20A, NEMA 5-20R, Brown.	1	15.11
2095-GRY	20A, NEMA 5-20R, Gray.	1	15.11
2095-I	20A, NEMA 5-20R, Ivory.	1	15.11
2095-LA	20A, NEMA 5-20R, Light almond.	1	15.11
2095-W	20A, NEMA 5-20R, White.	1	15.11

HOSPITAL GRADE GFCI			
2095-HGGRY	20A, NEMA 5-20R, Gray.	1	23.06
2095-HGI	20A, NEMA 5-20R, Ivory.	1	23.06
2095-HGLA	20A, NEMA 5-20R, Light almond.	1	23.06
2095-HGRED	20A, NEMA 5-20R, Red.	1	23.06
2095-HGW	20A, NEMA 5-20R, White.	1	23.06

2-POLE 3-WIRE ISOLATED GROUND STRAIGHT BLADE RECEPTACLES



5262

5261




NEMA 5-15 NEMA 5-20

Back & side wired. Nylon.

BRW No.	Description	Standard Package	Price/ Each
5262-IG	Duplex, NEMA 5-15.	10	\$10.55
5262-IGI	Duplex, NEMA 5-15, Ivory.	10	10.55
5261-IG	Single, NEMA 5-15.	10	19.15
5362-IG	Duplex, NEMA 5-20.	10	6.74
5362-IGI	Duplex, NEMA 5-20, Ivory.	10	6.74
5361-IG	Single, NEMA 5-20.	10	20.12

2-POLE 3-WIRE STRAIGHT BLADE SINGLE RECEPTACLES



5251



5279

P&S No.	Description	Std. Pkg.	Price/ Each
5251	15A, 125V, NEMA 5-15R, Brown.	10	\$8.79
5251-I	15A, 125V, NEMA 5-15R, Ivory.	10	8.79
5251-W	15A, 125V, NEMA 5-15R, White.	10	8.79
5351-I	20A, 125V, NEMA 5-20R, Ivory.	10	8.03
5351-W	20A, 125V, NEMA 5-20R, White.	10	8.03
5851-I	20A, 250V, NEMA 6-20R, Ivory.	10	3.98

BRW No.	Description	Standard Package	Price/ Each
5278	Male equip. base, with nylon cup.	10	\$10.42
5279	Female equip. recep., with nylon cup.	10	14.52

CLOCK HANGING RECEPTACLES RECESSED—WITH PLATE—GROUNDING



NEMA 5-15R

Single receptacle, 15A, 120V.

P&S No.	Description	Standard Package	Price/ Each
S3713I	Ivory wall plate.	1	\$5.65
S3713LA	Lt. Almond wall plate.	1	5.65
S3713W	White wall plate.	1	5.65
S3733SS	Stainless steel plate.	1	14.04

WIRING DEVICE PLATES



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

PASS & SEYMOUR WALL PLATES TOGGLE SWITCH

P&S No.	Description	Standard Package	Price/Each	
PLASTIC—SMOOTH				
	TP-1-I	1 gang, Ivory.	25	\$.26
	TP-1-LA	1 gang, Lt. Almond.	25	.26
	TP-1-BK	1 gang, Black.	25	.31
	TP-1-GRY	1 gang, Gray.	25	.30
	TP-1-RED	1 gang, Red.	25	.31
	TP-1-W	1 gang, White.	25	.26
	TP-1	1 gang, Brown.	25	.30
	TP-2-I	2 gang, Ivory.	20	.52
	TP-2-LA	2 gang, Lt. Almond.	20	.52
	TP-2-BK	2 gang, Black.	20	.68
	TP-2-GRY	2 gang, Gray.	20	.60
	TP-2-RED	2 gang, Red.	20	.64
	TP-2-W	2 gang, White.	20	.52
	TP-2	2 gang, Brown.	20	.60
	TP-3-I	3 gang, Ivory.	15	.93
	TP-3-LA	3 gang, Lt. Almond.	15	.93
	TP-3-GRY	3 gang, Gray.	15	.93
	TP-3-W	3 gang, White.	15	.93
	TP-3	3 gang, Brown.	15	.93
	TP-4-I	4 gang, Ivory.	10	1.38
	TP-4-LA	4-gang, Lt. Almond.	10	1.38
	TP-4-GRY	4 gang, Gray.	10	1.38
	TP-4-W	4 gang, White.	10	1.38
	TP-4	4 gang, Brown.	10	1.38
	TP-5-I	5 gang, Ivory.	1	12.19
	TP-5-W	5 gang, White.	1	12.19
	TP-5	5 gang, Brown.	1	12.19
	TP-6-I	6 gang, Ivory.	1	14.31
	TP-6-GRY	6 gang, Gray.	1	18.06
	TP-6	6 gang, Brown.	1	18.04
	TP-6-W	6 gang, White	1	14.31
METAL—SMOOTH				
	SB-1	1 gang, Brass.	20	7.32
	SS-1	1 gang, 302 S/S.	20	1.37
	SB-2	2 gang, Brass.	20	14.65
	SS-2	2 gang, 302 S/S.	20	2.64
	SB-3	3 gang, Brass.	15	22.67
	SS-3	3 gang, 302 S/S.	15	4.63
	SB-4	4 gang, Brass.	10	31.74
	SS-4	4 gang, 302 S/S.	10	15.12
	SS-5	5 gang, 302 S/S.	1	22.26
	SS-6	6 gang, 302 S/S.	1	26.76

PASS & SEYMOUR WALL PLATES DUPLEX RECEPTACLES

P&S No.	Description	Standard Package	Price/Each	
PLASTIC—SMOOTH				
	TP-8-I	1 gang, Ivory.	25	\$.26
	TP-8-LA	1 gang, Lt. Almond.	25	.26
	TP-8-BK	1 gang, Black.	25	.31
	TP-8-GRY	1 gang, Gray.	25	.30
	TP-8-RED	1 gang, Red.	25	.31
	TP-8-W	1 gang, White.	25	.26
	TP-8	1 gang, Brown.	25	.30
		TP-82-I	2 gang, Ivory.	20
TP-82-LA		2 gang, Lt. Almond.	20	.60
TP82-BK		2 gang, Black.	20	.64
TP-82-GRY		2 gang, Gray.	20	.60
TP-82-RED		2 gang, Red.	20	.68
TP-82-W		2 gang, White.	20	.60
TP-82		2 gang, Brown.	20	.60
		TP-83-I	3 gang, Ivory.	15
	TP-83-LA	3 gang, Lt. Almond.	15	5.29
	TP-83	3 gang, Brown.	15	6.89
METAL—SMOOTH				
	SB-8	1 gang, Brass.	20	7.32
	SS-8	1 gang, 302 S/S.	20	1.37
	SB-82	2 gang, Brass.	20	14.65
	SS-82	2 gang, 302 S/S.	20	3.07
	SS-83	3 gang, 302 S/S.	15	13.41
SINGLE RECEPTACLE				
P&S No.	Description	Standard Package	Price/Each	
PLASTIC—SMOOTH				
	TP-7-I	1 gang, Ivory.	20	\$.36
	TP-7-LA	1 gang, Lt. Almond.	20	.36
	TP-7-GRY	1 gang, Gray.	20	.36
	TP-7-W	1 gang, White.	20	.36
	TP-7	1 gang, Brown.	20	.36
METAL—SMOOTH				
	SB-7	1 gang, Brass.	20	7.32
	SS-7	1 gang, 302 S/S.	20	1.60
POWER OUTLET SINGLE RECEPTACLE				
P&S No.	Description	Standard Package	Price/Each	
PLASTIC—SMOOTH				
	TP-724-LA	1 gang, Lt. Almond.	20	\$2.33
	TP-724-W	1 gang, White.	20	2.33
	TP-703-LA	2 gang, Lt. Almond.	20	3.46
	TP-703-W	2 gang, White.	20	3.46
METAL—SMOOTH				
	SS-720	1 gang, 1.5938", 302 S/S.	20	2.65
	SS-723	1 gang, 2-1/8", 302 S/S.	20	4.69
	SS-701	2 gang, 2-15/32", 302 S/S.	20	9.79
	SS-702	2 gang, 2-5/32", 302 S/S.	20	8.37
	SS-710	2 gang, 1.5938", 302 S/S.	20	8.89
		2 mounting holes		



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

WIRING DEVICE PLATES

PASS & SEYMOUR WALL PLATES TELEPHONE AND CABLE

P&S No.	Description	Standard Package	Price/Each
PLASTIC—SMOOTH			
	TP-12-I Tel., 13/32", Ivory.	20	\$2.23
	TP-12-LA Te., 13/32", Lt. Almond.	20	2.23
	TP-12-GRY Tel., 13/32", Gray.	20	3.19
	TP-12-W Tel., 13/32", White.	20	2.23
	TP-12 Tel., 13/32", Brown.	20	2.75
METAL—SMOOTH			
	SB-12 Tel., 13/32", Brass.	20	7.82
	SS-12 Tel., 13/32", 302 S/S.	20	1.89
	SS-753 Split tel., 5/8" 302 S/S.	20	8.72

PASS & SEYMOUR WALL PLATES COMBINATIONS

P&S No.	Description	Std. Pkg.	Price/Each	
	TP-18-I 1 toggle, 1 duplex recep., Ivory.	20	\$6.60	
	TP-18-LA Same as above, Lt. Almond	20	.60	
	TP-18-GRY Same as above, Gray.	20	.60	
	TP-18-W Same as above, White.	20	.60	
	TP-18 Same as above, Brown.	20	.60	
	SB-18 Same as above, Brass.	20	16.83	
	SS-18 Same as above, 302 S/S.	20	3.51	
		TP-28-I 2 toggle, 1 duplex recep., Ivory.	15	4.00
		TP-28-LA Same as above, Lt. Almond.	15	4.00
		TP-28-W Same as above, White.	15	4.00
TP-28 Same as above, Brown.		15	4.00	
SB-28 Same as above, Brass.		15	24.52	
	SS-28 Same as above, 302 S/S.	15	13.27	
		TP-38-I 3 toggle, 1 duplex recep., Ivory.	10	10.24
SS-38 Same as above, 302 S/S.		10	16.81	
	TP-126-I 1 toggle, 1 GFCI, Ivory.	20	2.73	
	TP-126-LA Same as above, Lt. Almond.	20	2.73	
	TP-126-GRY Same as above, Gray.	20	3.55	
	TP-126-W Same as above, White.	20	2.73	
	SS-126 Same as above, 302 S/S.	10	8.70	
	TP-226-I 2 toggle, 1 GFCI, Ivory.	15	5.80	
	TP-226-LA Same as above, Lt. Almond.	15	5.80	
	TP-226-BK Same as above, Black.	15	5.80	
	TP-226-W Same as above, White.	15	5.80	
	SS-226 Same as above, 302 S/S.	15	13.27	
	TP-113-I 1 toggle, 1 blank, Ivory.	20	5.42	
	TP-113-LA Same as above, Lt. Almond.	20	5.42	
	TP-113-W Same as above, White.	20	5.42	
	SS-114 Same as above, 302 S/S.	20	9.69	
	TP-78-I 1 single recep., 1 duplex recep., Ivory.	20	13.84	
		TP-148-I 1 blank, 1 duplex, Ivory.	20	6.69
TP-148-LA Same as above, Lt. Almond.		20	6.69	
TP-148 Same as above, Brown.		20	6.69	
SS-148 Same as above, 302 S/S.		20	9.42	

PASS & SEYMOUR WALL PLATES SIERRAPLEX AND GFCI

P&S No.	Description	Std. Pkg.	Price/Each	
PLASTIC—SMOOTH				
	TP-26-I 1 gang, GFCI, Ivory.	20	\$3.30	
	TP-26-LA Same as above, Lt. Almond.	20	.30	
	TP-26-GRY Same as above, Gray.	20	.30	
	TP-26-W Same as above, White.	20	.30	
	TP-26-BK Same as above, Black	20	.31	
	TP-26 Same as above, Brown.	20	.30	
		TP-262-I 2 gang GFCI, Ivory.	20	.69
		TP-262-LA Same as above, Lt. Almond.	20	.69
TP-262-W Same as above, White.		20	.69	
	TP-826-I 1 recep., 1 GFCI, Ivory.	20	2.47	
	TP-826-LA Same as above, Lt. Almond.	20	2.47	
	TP-826-W 1 recep., 1 GFCI, White.	20	2.47	
	SS-826 1 recep., 1 GFCI, 302 S/S.	20	10.20	
	TP-263-I 3 gang, GFCI, Ivory.	15	1.06	
	TP-263-LA 3 gang, GFCI, Lt. Almond.	15	1.06	
	TP-263-W 3 gang, GFCI, White.	15	1.06	
	SS-263 3 gang, GFCI, 302 S/S.	15	4.63	
METAL—SMOOTH				
	SB-26 1 gang, GFCI, Brass.	20	6.93	
	SS-26 1 gang, GFCI, 302 S/S.	20	1.60	
	SS-262 2 gang, GFCI, 302 S/S.	10	3.07	

LOUVRE METAL—SMOOTH

P&S No.	Description	Standard Package	Price/Each
	SS-760 Horizontal, 1 gang, strap mount, 302 S/S.	15	\$9.85
	SS-771 Vertical, 1 gang, strap mount, 302 S/S.	15	10.04

WIRING DEVICE PLATES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

PASS & SEYMOUR WALL PLATES BLANK

P&S No.	Description	Standard Package	Price/Each	
BOX MOUNTED—PLASTIC—SMOOTH				
	TP-13-I	1 gang, Ivory.	20	\$.36
	TP-13-LA	1 gang, Lt. Almond.	20	.36
	TP-13-GRY	1 gang, Gray.	20	.36
	TP-13-W	1 gang, White.	20	.36
	TP-13-BK	1 gang, Black.	20	.33
	TP-13	1 gang, Brown.	20	.36
	TP-23-I	2 gang, Ivory.	20	.82
	TP-23-LA	2 gang, Lt. Almond.	20	.82
	TP-23	2 gang, Brown.	20	.82
	TP-33-I	3 gang, Ivory.	15	6.08
	TP-33-LA	3 gang, Lt. Brown.	15	
	TP-33	3 gang, Brown.	15	7.91

STRAP MOUNTED—PLASTIC—SMOOTH

	TP-14-I	1 gang, Ivory.	20	.88
	TP-14-GRY	1 gang, Gray.	20	.88
	TP-14-W	1 gang, White.	20	.88
	TP-14	1 gang, Brown.	20	.88
	TP-24-I	2 gang, Ivory.	20	3.92
	TP-24-W	2 gang, White.	20	3.92
	TP-24	2 gang, Brown.	20	5.08

BOX MOUNTED—METAL—SMOOTH

	SS-13	1 gang, 302 S/S.	20	1.82
	SS-23	2 gang, 302 S/S.	20	3.47
	SS-33	3 gang, 302 S/S.	15	13.27
	SS-43	4 gang, 302 S/S.	10	33.74

STRAP MOUNTED—METAL—SMOOTH

	SB-14	1 gang, Brass.	20	7.82
	SS-14	1 gang, 302 S/S.	20	3.74
	SB-24	2 gang, Brass.	20	18.31
	SS-24	2 gang, 302 S/S.	20	10.79

**FOR PROMPT
 COUNTER SERVICE
 FAX YOUR ORDERS.**

816-471-2557

PASS & SEYMOUR JUMBO WALL PLATES

3/4" higher and 3/4" wider. Colored plates are plastic.

P&S No.	Description	Std. Pkg.	Price/Each	
	TPJ-1-I	1 gang, 1 toggle, Ivory.	20	\$1.72
	TPJ-1-LA	Same as above, Lt. Almond.	20	1.72
	TPJ-1	Same as above, Brown.	20	1.72
	SSO-1	Same as above, 302 S/S.	20	7.78
	TPJ-2-I	2 gang, 2 toggle, Ivory.	20	3.45
	TPJ-2-LA	Same as above, Lt. Almond.	20	3.45
	TPJ-2	Same as above, Brown.	20	3.45
	SSO-2	Same as above, 302 S/S.	20	16.11
	TPJ-3-I	3 gang, 3 toggle, Ivory.	15	5.27
	TPJ-3-LA	Same as above, Lt. Almond.	15	5.27
	TPJ-8-I	1 gang, 1 duplex recep., Ivory.	20	1.72
	TPJ-8-LA	Same as above, Lt. Almond.	20	1.72
	TPJ-8	Same as above, Brown.	20	1.72
	SSO-8	Same as above, 302 S/S.	20	5.68
	TPJ-82-I	2 gang, 2 duplex recep., Ivory.	20	4.44
	TPJ-82	Same as above, Brown.	20	4.44
	TPJ-7-I	1 gang, 1 single recep., Ivory.	20	1.72
	TPJ-13-I	1 gang, 1 blank, Ivory.	20	1.72
	TPJ-13-W	Same as above, White.	20	1.72
	TPJ-13	Same as above, Brown.	20	1.72
	TPJ-18-I	2 gang, 1 toggle, 1 duplex, Ivory.	20	4.44
	TPJ-18	Same as above, Brown.	20	4.44

PASS & SEYMOUR PLATE SCREWS



Slotted oval head. 3/4" long, 6 x 32 thread. Box of 100.

PRICE PER BOX

P&S No.	Color	Standard Package	Price/Each
510-I	Ivory	1	\$32.28
510-LA	Light Almond.	1	
510-W	White	1	32.28
510	Brown	1	34.53
510-S	430 S/S	1	37.98

PASS & SEYMOUR MOUNTING STRAPS



P&S No.	Description	Standard Package	Price/Each
80700-I	Strap for blank insert. Changes toggle opening to blank, box mount, Ivory.	10	\$3.18
80700-W	Same as above, White.	10	3.18
80700-LA	Same as above, Lt. Almond.	10	3.18



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

CORD CAPS AND BODIES


TECH-SPEC 2-POLE 3-WIRE STRAIGHT BLADE PLUGS AND CONNECTOR 15 AMP—125V GROUNDING



5266-N



5269-N



5295



NEMA 5-15

BRW No.	Cord Dia.	Description	Standard Package	Price/ Each
PLUGS				
5266-N	.300-.655	White nylon/polycarbonate.	10	\$4.55
5295	.325-.625	White nylon angle plug, 12 position adjustment, clamp type terminals.	10	11.02
CONNECTOR				
5269-N	.300-.655	White nylon/polycarbonate.	10	7.84

TECH-SPEC 2-POLE 3-WIRE STRAIGHT BLADE PLUG AND CONNECTOR 20 AMP—250V GROUNDING



5466-N



5469-N



NEMA 6-20

BRW No.	Cord Dia.	Description	Standard Package	Price/ Each
PLUG				
5466-N	.300-.655	White nylon/polycarbonate.	10	\$13.67
CONNECTOR				
5469-N	.300-.655	White nylon/polycarbonate.	10	21.68

TECH-SPEC 2-POLE 3-WIRE STRAIGHT BLADE PLUG AND CONNECTOR 20 AMP—125V GROUNDING



5366-N



5369-N



NEMA 5-20

BRW No.	Cord Dia.	Description	Standard Package	Price/ Each
PLUG				
5366-N	.300-.655	White nylon/polycarbonate.	10	\$8.85
CONNECTOR				
5369-N	.300-.655	White nylon/polycarbonate.	10	14.73

2-POLE 3-WIRE STRAIGHT BLADE PLUG AND CONNECTOR HOSPITAL GRADE—15 AMP 125V




8266-N



NEMA 5-15

BRW No.	Cord Dia.	Description	Standard Package	Price/ Each
8266-N	.300-.655	Plug, White nylon/poly.	10	\$8.40
8269-N	.300-.655	Conn., White nylon/poly.	10	14.69
8295-T	.325-.625	Transparent angle plug.	10	12.83

GROUND FAULT PLUG 15A—120V—NEMA 5-15



NEMA 5-15

Compact angle designed male plug for portable GFI protection. Attaches securely to any 15A power tool or cord set.

BRW No.	Description	Standard Package	Price/ Each
GFP15-BY	Yellow thermoplastic.	1	\$36.36

**Place Your Business With
 Us. Our Product
 Application Knowledge
 Makes The Best Ultimately
 Cost Less.**

POWER OUTLETS




SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com


STRAIGHT BLADE POWER OUTLETS 3-POLE 3-WIRE NON-GROUNDING RANGE/DRYER





3860




3861



385

Config.	P&S No.	Description	Std. Pkg.	Price/Each
 NEMA 10-30	388	Surface recept., 30A, 125/250V dryer.	1	\$5.01
	3860	Flush recept., 30A, 125/250V dryer.	1	3.18
	SS-724	1-gang plate, 302 S/S.	20	5.57
	S384-C	1-gang plate, Chrome.	25	2.37
	TP-724-W	1-gang plate, White.	20	2.33
	TP-724-LA	1-gang plate, Light Almond.	20	2.33
	S3862-C	2-gang plate, Chrome.	25	3.80
	3861	Angle plug, 30A 125/250V.	1	8.02
 NEMA 10-50	385	Surface recept., 50A, 125/250V range.	1	5.01
	3890	Flush recept., 50A, 125/250V range.	1	3.18
	SS-724	1-gang plate, 302 S/S.	20	5.57
	S384-C	1-gang plate, Chrome.	25	2.37
	TP-724-W	1-gang plate, White.	20	2.33
	TP-724-LA	1-gang plate, Light Almond.	20	2.33
	S3862-C	2-gang plate, Chrome.	25	3.80
	3861	Angle plug, 50A 125/250V.	1	8.02


STRAIGHT BLADE POWER OUTLETS 3-POLE 4-WIRE GROUNDING RANGE/DRYER




3864





3867



3854



3854

Config.	P&S No.	Description	Std. Pkg.	Price/Each
 NEMA 14-30	3884	Surface recept., 30A, 125/250V dryer.	1	\$13.52
	3864	Flush recept., 30A, 125/250V dryer.	1	7.47
	TP-703-W	2-gang plate, White.	20	3.46
	TP-703-LA	2-gang plate, Light Almond.	20	3.46
	3867	Angle plug, 30A 125/250V.	1	16.16
 NEMA 14-50	3854	Surface recept., 50A, 125/250V range.	1	13.52
	3894	Flush recept., 50A, 125/250V range.	1	7.47
	TP-703-W	2-gang plate, White.	20	3.46
	TP-703-LA	2-gang plate, Light Almond.	20	3.46
	S-3862C	2-gang plate, Chrome.	10	3.80
	3867	Angle plug, 50A 125/250V.	1	16.16





STRAIGHT BLADE POWER OUTLETS 2-POLE 3-WIRE GRUNDING



9530-ANPB



9550-FR







Config.	BRW No.	Description	Std. Pkg.	Price/Each
 NEMA 5-30	9530-FR	Flush recept., 30A, 125V.	1	\$11.97
	9530-ANPB	Angle plug, 30A, 125V.	1	25.34
 NEMA 5-50	9550-FR	Flush recept., 50A, 125V.	1	15.72
	9550-ANPB	Angle plug, 50A, 125V.	1	38.06
 NEMA 6-30	9630-FR	Flush recept., 30A, 250V.	1	13.55
	9630-ANPB	Angle plug, 30A, 250V.	1	27.83
 NEMA 6-50	9650-FR	Flush recept., 50A, 250V.	1	15.81
	9650-ANPB	Angle plug, 50A, 250V.	1	28.66

P&S No.	Description	Std. Pkg.	Price/Each
SS-702	2-gang plate.	20	\$8.37

STRAIGHT BLADE POWER OUTLETS 3-POLE 4-WIRE GROUNDING



9430-FR

Config.	BRW No.	Description	Std. Pkg.	Price/Each
 NEMA 14-30	9430-FR	Flush recept., 30A, 125V.	1	\$31.89
	9432-ANP	Angle plug, 30A, 125V.	1	27.74
 NEMA 14-50	9450-FR	Flush recept., 50A, 125V.	1	41.11
	9452-ANP	Angle plug, 50A, 125V.	1	33.04
 NEMA 14-60	9460-FR	Flush recept., 60A, 250V.	1	45.67
	9462-ANP	Angle plug, 60A, 250V.	1	38.76
 NEMA 15-30	8430-FR	Flush recept., 30A, 250V, 3-Phase.	1	29.81
	8432-ANP	Angle plug, 30A, 250V, 3-Phase.	1	29.94
 NEMA 15-50	8450-FR	Flush recept., 50A, 250V, 3-Phase.	1	41.92
	8452-ANP	Angle plug, 50A, 250V, 3-Phase.	1	34.70
 NEMA 15-60	8460-FR	Flush recept., 60A, 250V, 3-Phase.	1	47.84
	8462-ANP	Angle plug, 60A, 250V, 3-Phase.	1	40.21

P&S No.	Description	Std. Pkg.	Price/Each
SS-702	2-gang plate.	20	\$8.37



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MIDGET & ISOLATED GROUND LOCK. DEVICES


2-POLE 3-WIRE MIDGET LOCKING DEVICES 15 AMP—125V GROUNDING



7594-NP



7593-NC



BRW No.	Description	Standard Package	Price/ Each
7594-NP	White nylon plug, quad gripper cord grip.	10	\$10.24
7593-NC	White nylon conn., quad gripper cord grip.	10	13.37

3-POLE 3-WIRE MIDGET LOCKING DEVICES 15 AMP—125/250V



7485-NP



7484-NC



BRW No.	Description	Standard Package	Price/ Each
7485-NP	White nylon plug, quad gripper cord grip.	10	\$10.12
7484-NC	White nylon conn., quad gripper cord grip.	10	13.67


ISOLATED GROUND LOCKING RECEPTACLES











4700-DRIG



70520-IG

Config.	BRW No.	Description	Rating	Standard Package	Price/ Each
 NEMA L5-15R	4700-DRIG	Duplex, back wired, clamp type terminals, urea.	2-pole 3-wire	10	\$24.09
	4710-IG	Single, back wired, clamp type terminals, urea.	15A 125V	10	23.91

Config.	BRW No.	Rating	Standard Package	Price/ Each
 NEMA L5-20R	70520-IG	2-pole 3-wire, 20A 125V.	10	\$19.58
 NEMA L6-20R	70620-IG	2-pole 3-wire, 20A 250V.	10	20.18
 NEMA L5-30R	70530-IG	2-pole 3-wire, 30A 125V.	10	26.92
 NEMA L6-30R	70630-IG	2-pole 3-wire, 30A 250V.	10	29.39
 NEMA L14-20R	71420-IG	3-pole 4-wire, 20A 125/250V.	10	26.74
 NEMA L14-30R	71430-IG	3-pole 4-wire, 30A 125/250V.	10	40.17
 NEMA L21-20R	72120-IG	4-pole 5-wire, 20A 120/208V3ØY.	10	31.62
 NEMA L21-30R	72130-IG	4-pole 5-wire, 30A 120/208V3ØY.	10	44.81

LOCKING DEVICES



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

2-POLE 3-WIRE LOCKING DEVICES



4710



4700-DR



4721-NP




4732-NC



NEMA L5-15

15 AMP—125V GROUNDING

BRW No.	Description	Standard Package	Price/Each
4710	Single recep., Black melamine, back wired.	10	\$13.91
4700-DR	Duplex recep., Black melamine, back wired.	10	21.08
4721-NP	White nylon plug, clamp type terminals, triple gripper cord grip.	10	10.24
4732-NC	White nylon connector, clamp type terminals, triple gripper cord grip.	10	18.07



NEMA L6-15

15 AMP—250V GROUNDING

BRW No.	Description	Standard Package	Price/Each
70615-FR	Single recep., Black melamine, back wired.	10	\$14.94
70615-DR	Duplex recep., Black melamine, back wired.	10	23.61
70615-NP	White nylon plug, triple gripper cord grip.	10	10.78
70615-NC	White nylon connector, triple gripper cord grip.	10	18.55



NEMA L7-15

15 AMP—277V GROUNDING

BRW No.	Description	Standard Package	Price/Each
4760	Single recep., Black melamine, back wired.	10	\$15.66
4770-NP	White nylon plug, clamp type terminals, triple gripper cord grip.	10	11.81



NEMA L5-20

20 AMP—125V GROUNDING

BRW No.	Description	Standard Package	Price/Each
70520-FR	Single flush recep., Black melamine.	10	\$16.26
70520-NP	White nylon plug, triple gripper cord grip.	10	12.89
70520-NC	White nylon connector, triple gripper cord grip.	10	20.00



NEMA L6-20

20 AMP—250V GROUNDING

BRW No.	Description	Standard Package	Price/Each
70620-FR	Single flush recep., Black melamine.	10	\$16.26
70620-NP	White nylon plug, triple gripper cord grip.	10	12.89
70620-NC	White nylon connector, triple gripper cord grip.	10	20.00



NEMA L5-30

30 AMP—125V GROUNDING

BRW No.	Description	Standard Package	Price/Each
70530-FR	Single flush recep., Black melamine.	10	\$23.13
70530-NP	White nylon plug, triple gripper cord grip.	10	20.00
70530-NC	White nylon connector, triple gripper cord grip.	10	39.69



NEMA L6-30

30 AMP—250V GROUNDING

BRW No.	Description	Standard Package	Price/Each
70630-FR	Single flush recep., Black melamine.	10	\$24.94
70630-NP	White nylon plug, triple gripper cord grip.	10	20.12
70630-NC	White nylon connector, triple gripper cord grip.	10	42.10

NOTE: SEE PAGE E-12 FOR ISOLATED GROUND DEVICES.



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

LOCKING DEVICES

3-POLE 4-WIRE LOCKING DEVICES



NEMA L14-20

20A 125/250V GROUNDING

BRW No.	Description	Standard Package	Price/Each
71420-FR	Single flush recep., Black melamine.	10	\$22.89
71420-NP	White nylon plug, quad gripper cord grip.	10	19.58
71420-NC	White nylon connector, quad gripper cord grip.	10	27.28



NEMA L15-20

20A 250V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/Each
71520-FR	Single flush recep., Black melamine.	10	\$23.01
71520-NP	White nylon plug, quad gripper cord grip.	10	20.72
71520-NC	White nylon connector, quad gripper cord grip.	10	27.28



NEMA L16-20

20A 480V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/Each
71620-FR	Single flush recep., Black melamine.	10	\$23.37
71620-NP	White nylon plug, quad gripper cord grip.	10	20.96
71620-NC	White nylon connector, quad gripper cord grip.	10	28.13



NEMA L14-30

30A 125/250V GROUNDING

BRW No.	Description	Standard Package	Price/Each
71430-FR	Single flush recep., Black melamine.	10	\$36.20
71430-NP	White nylon plug, quad gripper cord grip.	10	26.74
71430-NC	White nylon connector, quad gripper cord grip.	10	55.23



NEMA L15-30

30A 250V 3-PHASE GROUNDING

BRW No.	Description	Standard Package	Price/Each
71530-FR	Single flush recep., Black melamine.	10	\$36.56
71530-NP	White nylon plug, quad gripper cord grip.	10	26.86
71530-NC	White nylon connector, quad gripper cord grip.	10	55.11



NEMA L16-30

30A 480V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/Each
71630-FR	Single flush recep., Black melamine.	10	\$36.68
71630-NP	White nylon plug, quad gripper cord grip.	10	26.98
71630-NC	White nylon connector, quad gripper cord grip.	10	56.86



GROUNDING

30A 600VAC—20A 250VDC

BRW No.	Description	Standard Package	Price/Each
20403	Receptacle, Black phenolic.	1	\$92.68
21415	Plug with metal cord grip.	1	93.13
21414	Connector with metal cord grip.	1	122.42



50A 250VDC—50A 600VAC

BRW No.	Description	Standard Package	Price/Each
7765	Armored plug with cord grip.	1	\$89.67
7764	Armored connector with cord grip.	1	115.34
7379	Armored receptacle.	1	93.74



50A 250VDC—50A 600VAC

BRW No.	Description	Standard Package	Price/Each
3765	Armored plug with cord grip.	1	\$96.67
3764	Armored connector with cord grip.	1	114.36
3769	Armored receptacle.	1	99.53

**NOTE: SEE PAGE E-12
 FOR ISOLATED GROUND
 DEVICES.**

LOCKING DEVICES



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

3-POLE 3-WIRE LOCKING DEVICES



3P/3W STANDARD

*10A 250V—15A 125V

BRW No.	Description	Standard Package	Price/ Each
7568	White nylon plug, triple gripper cord grip.	10	\$13.49
7565	White nylon connector, triple gripper cord grip.	10	22.11



3P/3W STANDARD

*20 AMP—125/250V

BRW No.	Description	Standard Package	Price/ Each
7310	Single recep., Black melamine.	10	\$22.11
9965	White nylon plug, triple gripper cord grip.	10	15.84
7314	White nylon connector, triple gripper cord grip.	10	25.60



3P/3W STANDARD

*30 AMP—125/250V

BRW No.	Description	Standard Package	Price/ Each
3330	Single recep., Black melamine.	10	\$30.78
3331	Plug, White nylon.	10	22.47
3333	Connector, White nylon.	10	43.55

*NOT UL LISTED. FOR REPLACEMENT USE ONLY.

BRYANT 4-POLE 4-WIRE LOCKING DEVICES



4P/4W STANDARD

*20A 120/208V 3 PHASE

BRW No.	Description	Standard Package	Price/ Each
7410	Single recep., Black melamine.	10	\$26.98
9967	Plug, White nylon.	10	23.07



4P/4W STANDARD

*30A 120/208V 3 PHASE

BRW No.	Description	Standard Package	Price/ Each
3430	Single recep., Black melamine.	10	\$39.21
3431	Plug, White nylon.	10	29.81
3433	Connector, White nylon.	10	65.59

*NOT UL LISTED. FOR REPLACEMENT USE ONLY.

NOTE: SEE PAGE E-12 FOR ISOLATED GROUND DEVICES.

4-POLE 4-WIRE LOCKING DEVICES

(Cont'd.)



NEMA L19-30

30A 277/480V 3 PHASE

BRW No.	Description	Standard Package	Price/ Each
71930-FR	Single flush recep., Black melamine.	10	\$37.71
71930-NP	White nylon plug, quad gripper cord grip.	10	28.25
71930-NC	White nylon connector, quad gripper cord grip.	10	59.15

BRYANT 4-POLE 5-WIRE LOCKING DEVICES



NEMA L21-20

20A 120/208V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/ Each
72120-FR	Single flush recep., Black melamine.	10	\$28.19
72120-NP	White nylon plug, quad gripper cord grip.	10	25.24
72120-NC	White nylon connector, quad gripper cord grip.	10	43.43



NEMA L22-20

20A 277/480V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/ Each
72220-FR	Single flush recep., Black melamine.	10	\$28.85
72220-NP	White nylon plug, quad gripper cord grip.	10	25.96
72220-NC	White nylon connector, quad gripper cord grip.	10	44.75



NEMA L21-30

30A 120/208V 3 PHASE GROUNDING

BRW No.	Description	Standard Package	Price/ Each
72130-FR	Single flush recep., Black melamine.	10	\$39.15
72130-NP	White nylon plug, quad gripper cord grip.	10	29.94
72130-NC	White nylon connector, quad gripper cord grip.	10	54.75



NEMA L22-30

30A 277/480V 3 PHASE GROUNDING


BRW No.	Description	Standard Package	Price/ Each
72230-FR	Single flush recep., Black melamine.	10	\$40.11
72230-NP	White nylon plug, quad gripper cord grip.	10	30.78
72230-NC	White nylon connector, quad gripper cord grip.	10	56.86



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


LAMPHOLDERS

PIGTAIL LAMPHOLDER



P&S No.	EGL No.	Description	Standard Package	Price/ Each
201	124	Medium base, rubber, 660W 250V, #14 wire.	25	\$4.20


LAMPHOLDERS



One piece fiberglass construction.



ALD No.	Description	Standard Package	Price/ Each
LH-1P	Keyless lampholder, double screw terminal, fits 3-1/4" - 4" outlet boxes.	50	\$1.36
LH-2P	Lampholder w/3' pull chain, fits 3-1/4" - 4" outlet boxes.	50	2.65
LH-3P	Pull chain lampholder with grounded outlet, double screw terminal, fits 3-1/4" - 4" outlet boxes.	50	3.61

PASS & SEYMOUR INCANDESCENT LAMPHOLDERS



P&S No.	Description	Standard Package	Price/ Each
272	Medium base, porcelain, one piece keyless.	50	\$4.00
282	Medium base, porcelain, pullchain.	50	7.27

PASS & SEYMOUR INCANDESCENT LAMPHOLDERS AND EXTENSIONS




P&S No.	Description	Standard Package	Price/ Each
2005	Porcelain socket extension, medium to medium, 1.25" extension, 660W, 250V.	10	\$4.88
3152-8	Medium base porcelain socket, screw terminals, keyless, single circuit, 1/8" IPS hickey, 660W, 250V.	10	4.21
8694	Mogul base porcelain socket, screw terminals, 4 kV pulse rated, 1500W, 600V.	10	10.75

PORTABLE G.F.I. SETS/COAX & PHONE/CATV DEVICES



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

BRYANT GROUND FAULT PLUG 15A—120V—NEMA 5-15




NEMA 5-15

Compact angle designed male plug for portable GFI protection. Attaches securely to any 15A power tool or cord set.


BRW No.	Description	Standard Package	Price/Each
GFP15-BY	Yellow thermoplastic.	1	\$36.36

GC ELECTRONICS SIGNAL SPLITTERS 75 OHM INPUT—75 OHM OUTPUT




GCE No.	Description	Standard Package	Price/Each
323033BU	3-way splitter.	10	\$2.63
323022BU	4-way splitter.	10	3.08


TELEPHONE/CATV WIRING DEVICES




TPTE1




TPTE2




WMTE14



TPTELV



TPCATV



TPCATV2

P&S No.	Description	Std. Pkg.	Price/Each
---------	-------------	-----------	------------

1-GANG MODULAR TELEPHONE JACK WITH WALL PLATE

TPTE1-I	Single modular jack, Ivory.	10	\$2.62
TPTE1-LA	Single modular jack, Lt. Almond.	10	2.62
TPTE1-W	Single modular jack, White.	10	2.62
TPTE2-I	2 modular jack, Ivor.	10	5.74
TPTE2-LA	2 modular jack, Lt. Almond.	10	5.74
TPTE2-W	2 modular jack, White.	10	5.74

MODULAR WALL MOUNT TELEPHONE JACK FOR HANGING PHONES

WMTE14-I	Single modular jack, Ivory.	10	445.00
WMTE14-LA	Single modular jack, Lt. Almond.	10	445.00
WMTE14-W	Single modular jack, White.	10	445.00

MODULAR CATV PHATE WITH "F" TYPE COAXIAL CONNECTOR

TPCATV-I	Single modular jack, Ivory.	10	2.07
TPCATV-LA	Single modular jack, Lt. Almond.	10	2.07
TPCATV-W	Single modular jack, White.	10	2.07
TPCATV2-I	2 modular jack, Ivor.	10	4.78
TPCATV2-LA	2 modular jack, Lt. Almond.	10	4.78
TPCATV2-W	2 modular jack, White.	10	4.78

COMBINATION COAXIAL CONNECTOR AND TELEPHONE JACK PLATE

TPTELV-I	F-connector & RJ11 jack, Ivory.	10	5.45
TPTELV-LA	F-connector & RJ11 jack, Lt. Almond.	10	5.45
TPTELV-W	F-connector & RJ11 jack, White.	10	5.45

COAX ACCESSORIES

GCE No.	Description	Standard Package	Price/Each
323003BU	Coax twist conn., RG6.	10	\$1.24
323006BU	Cable splice	10	.67
32439BU	Coax crimp conn., RG6.	10	.75

IDL No.	Description	Standard Package	Price/Each
30-433	Coax strip & crimp tool.	1	\$43.67
30-506	Crimpmaster ratchet tool.	1	45.60
30-582	RG59/RG6 crimp dies.	1	27.89



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RESIDENTIAL NETWORKING

RESIDENTIAL NETWORK WIRING




In addition to the below telephone and video modules, the network system will support:

- Computer networking modules – share the internet on multiple computers in the home.
- Audio distribution modules – enjoy stereo or any audio source throughout the home.
- Camera module – monitor what is happening both inside and outside the home.
- Home office modules – manage multiple telephone lines for family and business.

CALL FOR DETAILS REGARDING FUNCTION AND APPLICATION.




HOME NETWORK BRACKET



Provides central distribution point for basic communications. Each bracket will support telephone, video, and one additional space for upgrades. Mounts on drywall or plywood backing. Surface mount for easy retrofit applications. Brackets can be ganged for future expansion.

P&S No.	Description	Standard Package	Price/Each
HNB3	Modular bracket holds 3 single space modules.	1	\$32.98

TELEPHONE AND VIDEO (CATV) MODULES FOR USE WITH HOME NETWORK BRACKET



RTM7556

P&S No.	Description	Standard Package	Price/Each
VDM-7585	1 x 8 video passive video splitter.	1	\$52
RTM-7556	4 x 8 telephone module.	1	59.78
RTM-410	4 x 10 punchdown telephone module.	1	.29

RESIDENTIAL NETWORKING



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


TRADEMASTER KEYSTONE DATACOM WALL PLATES



Smooth look fits any decor and matches Trademaster wiring device plates. Flexible modular design accepts any combination of Pass & Seymour Keystone jacks.

P&S No.	Description	Std. Pkg.	Price/Each
KTPD1-I	1-port wall plate, Ivory.	10	\$.98
KTPD1-LA	1-port wall plate, Light Almond.	10	.98
KTPD1-W	1-port wall plate, White.	10	.98
KTPD2-I	2-port wall plate, Ivory.	10	.98
KTPD2-LA	2-port wall plate, Light Almond.	10	.98
KTPD2-W	2-port wall plate, White.	10	.98
KTPD4-I	4-port wall plate, Ivory.	10	.98
KTPD4-LA	4-port wall plate, Light Almond.	10	.98
KTPD4-W	4-port wall plate, White	10	.98

TRADEMASTER KEYSTONE DECORATOR FRAMES



P&S No.	Description	Std. Pkg.	Price/Each
KS226-I	2-port decorator frame, Ivory.	10	\$.93
KS226-LA	2-port decorator frame, Light Almond.	10	.93
KS226-W	2-port decorator frame, White.	10	.93
KS426-I	4-port decorator frame, Ivory.	10	.93
KS426-LA	4-port decorator frame, Light Almond.	10	.93
KS426-W	4-port decorator frame, White	10	.93


KEYSTONE CATEGORY 5e JACKS



Provides premium performance for all applications over UTP cable; data, telephone, camera, and intercom.

P&S No.	Description	Std. Pkg.	Price/Each
KS58-I	RJ45 keystone, Ivory.	10	\$3.40
KS58-LA	RJ45 keystone, Light Almond.	10	3.40
KS58-W	RJ45 keystone, White.	10	3.40

KEYSTONE F CONNECTORS



Standard F connectors support video coax cable.

P&S No.	Description	Std. Pkg.	Price/Each
KSFF-I	F Connector, Ivory.	10	\$1.30
KSFF-LA	F Connector, Light Almond.	10	1.30
KSFF-W	F Connector, White.	10	1.30

OTHER KEYSTONE MODULES ARE AVAILABLE, INCLUDING:

- **Keystone binding posts** — Enable easy speaker wiring for multi-room stereo.
- **Keystone RCA to F Connection** — Use for easy connections of sub-woofer pre-out in home theatre installations.
- **Keystone blanks** — Fills unused jack module spaces.